Index

VOLUME 11 1984–85

Abdel-Hafez A.: *see* El-Falaky M. H.
Abstracts, 72, 148, 225, 301, 380, 446
Adamiker D.: *see* Karner J.
Allograft skin, cadaveric, variables determining the amount of microbial contamination on, used as a biological wound dressing, 242
Allograft skin, meshed, survival of an extensively burned child following use of fragments of autograft skin overlain with, 429
Alsbjorn B. F., Metz P. and Ebbehoj J.: Nailfold retraction due to burn wound contracture. A surgical procedure, 166
Alsbjorn B. F. and Sorensen B.: Grafting with epidermal Langerhans cell depressed cadaver split skin, 259
Amino acid levels, effects of burns on, in rat plasma, liver and muscle, 130
Amnion overlay meshed skin autograft, 374
Anaerobic infections of burns, 192
Antal G. M.: WHO and the global problem of nosocomial infections, 48
Antibiotic susceptibility and identification of bacterial isolates from burned patients, 393
Antibodies, pseudomonas, in burned patients, enzyme-linked immunosorbent assay (ELISA) and a passive haemagglutination test (PHT) for the detection of, 252
Anticoagulation therapy for renal insufficiency after burns, 104
Arm and wrist, electrically burned, early treatment of, role of escharotomy and fasciotomy as a first aid measure in, 419
Arturson G.: Neutrophil granulocyte functions in severely burned patients, 309
Autograft skin, fragments of, survival of an extensively burned child following use of, overlain with meshed allograft skin, 429
Autograft, meshed skin, amnion overlay, 374
Azami K.: *see* Ono I.
Azlocillin, special reference to, systemic treatment of septicaemia caused by *P. aeruginosa* with, 65

Bacterial isolates, identification and antibiotic susceptibility of, from burned patients, 393
Bacteriological effect of cerium-flamazine cream in major burns, 337
Bagge U.: *see* Blomgren I.
Bandages of boiled potato peels, 444
Baruchin A. M. and Mileritzki M.: A hard necrotic black right breast, 293
Baruchin A. M.: 'Therapeutic' burns (Maqua), 140
Baruchin A. M.: *see* Sagi A.
Behar D.: *see* Golan J.
Ben-Hur N.: *see* Golan J.
Ben-Yakar Y.: *see* Sagi A.
Berger A.: *see* Karner J.
Blomgren I., Eriksson E. and Bagge U.: The effect of different cooling temperatures and immersion fluids on post-burn oedema and survival of the partially scalded hairy mouse ear, 161
Boeckx W., Focquet M., Cornelissen M. and Nuttin B.: Bacteriological effect of cerium-flamazine cream in major burns, 337
Book Review, 452
Boswick J. A.: *see* Hansbrough J. F.
Boswick Jr. J. A.: Management of serious infections of burns of the upper extremities, 63
Bowser-Wallace B. H., Graves D. B. and Caldwell F. T.: An epidemiological profile and trend analysis of wound flora in burned children: 7 years' experience, 16
Boyle J. C.: *see* Inman R. J.
Brain A. N.: *see* Frame J. D.
Breast, right, hard necrotic black, 293
Bromine, burns caused by, and some of its compounds, 343
Brown L. C.: *see* Davidson T. I.
Bruun L.: Medical social work in the burns unit, 436
Burns unit, medical social work in, 436
Butane camping stoves, portable, burn injuries from, 427
Byrom R. R., Word E. L., Tewksbury C. G. and Edlich R. F.: Epidemiology of flame burn injuries, 1

Caldwell F. T.: *see* Bowser-Wallace B. H.
Candida infection in severe burns, 330
Cao D. X.: *see* Zapata-Sirvent R. L.
Cao Tsao D. X.: *see* Sun Y. J.
Carroll W. B.: *see* Hansbrough J. F.
Carter W.: *see* Stern P. J.
Catheter, monitoring, infected pseudo-aneurysm of the femoral artery caused by, 213

Cavaye D.: *see* Pegg S. P.
Cerium nitrate and silver sulphadiazine, mixture of, topical treatment of serious infections with special reference to the use of,: two clinical studies, 59
Cerium-flamazine cream in major burns, bacteriological effect of, 337
Chan Z. D.: *see* Sun Y. J.
Chemical burns of the upper gastrointestinal tract, 269
Chen Y. S., Li N., Shi J. Q., Li Y. P. and Davies J. W. L.: Histopathological and ultrastructural changes in liver tissue from burned patients, 408
Child, extensively burned, survival of, following use of fragments of autograft skin overlain with meshed allograft skin, 429
Childhood burns, analysis into, 117
Children, burned thumb contractures in, classification and management of, 168
Children, burned, epidemiological profile and trend analysis of wound flora in: 7 years' experience, 16
Children, burned, severely, team approach with, in a multidisciplinary rehabilitation setting, 281
Children, burned, toxic shock syndrome in, 234
Children's burns due to cresol, 294
Chromic acid burns and acute chromium poisoning, 181
Chromium poisoning, acute and chromic acid burns, 181
Clarke J. A.: *see* McLean N. R.
Collagen, surface structure of, some observations on, in hypertrophic scars, 175
Contents of *INJURY*, 78, 154, 232, 308, 386, IBC
Contracture, burn wound, nailfold retraction due to. A surgical procedure, 166
Cooling temperatures and immersion fluids, different, effect of, on post-burn oedema and survival of the partially scalded hairy mouse ear, 161
Cornelissen M.: *see* Boeckx W.
Cresol, children's burns due to, 294

Davey R. B.: *see* Stern L. M.
Davidson T. I. and Brown L. C.: Self-inflected burns: a 5-year retrospective study, 157
Davies J. W. L.: *see* Chen Y. S.
Davies J. W. L.: *see* Sun Y. H.
Davies J. W. L.: *see* Wang X. W.
Davies J. W. L.: *see* Zapata-Sirvent R. L.
DeClement F. A.: *see* May S. R.
Deep burns, extensive or, tangential excision of, 31
Dent A. R. and Fatah M. F.: The radial forearm island flap in early reconstruction of a severely burned hand, 285
Developing country, incidence of burn wound sepsis in 600 burned patients treated in, 404
Diagnosis and treatment of infection in the burn patient, 79
Doss C. R.: *see* Ramakrishnan K. M.
Dowsett E. G.: *see* Frame J. D.
Dressing, burn wound, boiled potato peel as: a preliminary report, 220
Dressings, tulle-gras, 26
Drukker A.: *see* Pomeranz A.
Ducel G.: Prevention of hospital-acquired infections with reference to burns, 42

Ebbehoj J.: *see* Alsbjorn B. F.
Editorials, 155
Edlich R. F.: *see* Byrom R. R.
El-Falaky M. H., Abdel-Hafez A. and Houtah A. H.: Phagocytic activity of polymorphonuclear leucocytes in burns, 185
Eldad A.: *see* Golan J.
Electrical burn with visceral injury, 207
Electrical burns, early vascular grafting to prevent upper extremity necrosis after, 359
Electrical injuries due to railway high tension cables, 423
Electrical injury, grafting, use of autogenous omentum for, affecting the scalp and skull, 289
Electrically burned arm and wrist, early treatment of, role of escharotomy and fasciotomy as a first aid measure in, 419
Elliott D., Everitt A. S., Gault D., Quaba A. A., Hackett M. E. J., Howlett T. A., Tomlin S. J. and Rees L. H.: The role of endorphins in septicaemic shock: a pilot study in burned patients, 387
Endorphins, role of, in septicaemic shock: a pilot study in burned patients, 387
Enzyme-linked immunosorbent assay (ELISA) and a passive haemagglutination test (PHT) for the detection of pseudomonas-antibodies in burned patients, 252
Epidemiological profile and trend analysis of wound flora in burned children: 7 years' experience, 16
Epidemiology of flame burn injuries, 1
Epidermal Langerhans cell depressed cadaver split skin, grafting with, 259
Eriksson E.: *see* Blomgren I.
Eschar J.: *see* Scapa E.
Eschar, tangential excision of, for deep burns of the hand: analysis of 156 patients collected over 10 years, 92
Escharotomy and fasciotomy, role of, as a first aid measure in the early treatment of an electrically burned arm and wrist, 419
Eve M. D.: *see* Frame J. D.
Everitt A. S.: *see* Elliot D.
Excision, early, and grafting, results of, in hand burns, 99
Excision, tangential, of eschar for deep burns of the hand: analysis of 156 patients collected over 10 years, 92
Exposure-Eusol treatment for burn wounds, 297
Eyal A.: *see* Sagi A.

Fasciotomy and escharotomy, role of, as a first aid measure in the early treatment of an electrically burned arm and wrist, 419
Fatah M. F.: *see* Dent A. R.
First aid measure, role of escharotomy and fasciotomy as, in the early treatment of an electrically burned arm and wrist, 419

Flamazine, silver sulfadiazine 1 per cent, silver sulfadiazine 1 per cent plus chlorhexidine digluconate 0·2 per cent (Silvazine) and, prospective comparison of, as prophylaxis against burn wound infection, 35
Flame burn injuries, epidemiology of, 1
Focquet M.: *see* Boeckx W.
Follow up of burned patients in the United Kingdom, 216
Fowler D.: *see* Pegg S.P.
Frame J. D., Eve M. D., Hackett M. E. J., Dowsett E. G., Brain A. N., Gault D. T. and Wilmshurst A. D.: The toxic shock syndrome in burned children, 234
Fujii T.: *see* Nakamura K.
Funovics J.: *see* Karner J.

Gastrointestinal tract, upper, chemical burns of, 269
Gault D.: *see* Elliot D.
Gault D. T.: *see* Frame J. D.
Gilbert P. M.: Burn wound complicated by marked neurofibromatosis, 434
Gillett G.: *see* Pegg S. P.
Golan J., Eldad A., Rudensky B., Tuchman Y., Sterenberg N., Ben-Hur N., Behar D. and Juszynski M.: A new temporary synthetic skin substitute, 274
Grafting and early excision, results of, in hand burns, 99
Grafting with epidermal Langerhans cell depressed cadaver split skin, 259
Grafting, early vascular, to prevent upper extremity necrosis after electrical burns, 359
Granulocyte functions, neutrophil, in severely burned patients, 309
Graves D. B.: *see* Bowser-Wallace B. H.
Groenevelt F., Schoorl R. and Hermans R. P.: Retrospective study of reconstructive surgery of the burned hand, 351
Gunn S. W. A.: Closing remarks (WHO/ISBI Workshop), 71

Hackett M. E. J.: *see* Elliot D.
Hackett M. E. J.: *see* Frame J. D.
Hagihara M.: *see* Hiramatsu M.
Hand burns, results of early excision and grafting in, 99
Hand, burned, retrospective study of reconstructive surgery of, 351
Hand, burned, severely, resurfacing of, with a radial forearm flap, 371
Hand, deep burns of, tangential excision of eschar for: analysis of 156 patients collected over 10 years, 92
Hands and forearms, thermal-crush injuries of: an analysis of 60 cases, 264
Hansbrough J.: *see* Rundus C.
Hansbrough J. F., Carroll W. B., Zapata-Sirvent R. L., Reller B. R. and Boswick J. A.: Identification and antibiotic susceptibility of bacterial isolates from burned patients, 393
Hanusch J.: *see* Karner J.
Hart N. B. and Lawrence J. C.: Tulle-gras dressings, 26
Hasegawa T.: *see* Ono I.
Hermans M. H. E. and Hermans R. P.: Preliminary report on the use of a new hydrocolloid dressing in the treatment of burns, 125
Hermans R. P.: Tropical treatment of serious infections with special reference to the use of a mixture of silver sulphadiazine and cerium nitrate: two clinical studies, 59
Hermans R. P.: *see* Groenevelt F.
Hermans R. P.: *see* Hermans M. H. E.
Hiramatsu M., Izawa Y., Hagihara M., Nishigaki I. and Yagi K.: Serum lipid peroxide levels of patients suffering from thermal injury, 111
Histopathological and ultrastructural changes in liver tissue from burned patients, 408
Hoshi M.: *see* Ono I.
Hospital-acquired infections, prevention of, with reference to burns, 42
Hou M. F.: *see* Lin S. D.
Houtah A. H.: *see* El-Falaky M. H.
Howlett T. A.: *see* Elliot D.
Hydrocolloid dressing, new, preliminary report on the use of, in the treatment of burns, 125
Hydrofluoric acid burns, intra-arterial infusions in the treatment of, 440

Immunity, cell-mediated, vitamin E improves, in the burned mouse: a preliminary study, 11
In D. Q.: *see* Sun Y. H.
Infant, extensively burned, survival of, following purulent pericarditis, 202
Infection in the burn patient, diagnosis and treatment of, 79
Infection, burn wound, prospective comparison of silver sulfadiazine 1 per cent plus chlorhexidine digluconate 0·2 per cent (Silvazine) and silver sulfadiazine 1 per cent (Flamazine) as prophylaxis against, 35
Infections of burns, serious, management of, of the upper extremities, 63
Infections, serious, topical treatment of, with special reference to the use of a mixture of silver sulphadiazine and cerium nitrate: two clinical studies, 59
Infusions, intra-arterial, in the treatment of hydrofluoric acid burns, 440
Inman R. J., Snelling C. F. T., Roberts F. J., Shaw K. and Boyle J. C.: Prospective comparison of silver sulfadiazine 1 per cent plus chlorhexidine digluconate 0·2 per cent (Silvazine) and silver sulfadiazine 1 per cent (Flamazine) as prophylaxis against burn wound infection, 35
Izawa Y.: *see* Hiramatsu M.

Jayaraman V.: *see* Ramakrishnan K. M.
Johnstone P.: Follow-up of burned patients in the United Kingdom, 216
Jones M.: *see* Pegg S. P.
Jones R. J.: *see* Roe E. A.
Juszynski M.: *see* Golan J.

Karner J., Roth E., Funovics J., Hanusch J., Walzer L., Adamiker D., Berger A. and Meissl G.: Effects of amino acid levels in rat plasma, liver and muscle, 130
Kay S.: *see* Reichl M.

Keswani M. H. and Patil A. R.: The boiled potato peel as a burn wound dressing: a preliminary report, 220
Keswani M. H.: *see* Patil A. R.
Kjartansson J., Swedenborg J. and Nylen B.: Infected pseudo-aneurysm of the femoral artery caused by a monitoring catheter, 213
Knolle P.: Opening remarks (WHO/ISBI Workshop), 41
Knolle P.: Trends in anti-infective treatment of burn patients: a 3-year retrospective review, 54
Kon M.: *see* Sagi A.

Lai C. S.: *see* Lin S. D.
Law E. J.: *see* Wang X. W.
Lawrence J. C.: *see* Hart N. B.
Letter to the Editor, 306, 379
Li N.: *see* Chen Y. S.
Li Y. P.: *see* Chen Y. S.
Lin S. D., Lai C. S., Hou M. F. and Yang C. C.: Amnion overlay meshed skin autograft, 374
Lipid peroxide levels, serum, of patients suffering from thermal injury, 111
Liver tissue from burned patients, histopathological and ultrastructural changes in, 408

Ma R. L.: *see* Sun Y. H.
Ma R. L.: *see* Zapata-Sirvent R. L.
MacMillan B. G.: *see* Stern P. J.
MacMillan B. G.: *see* Wang X. W.
Mahler D.: *see* Sagi A.
Management of serious infections of burns of the upper extremities, 63
Manokaran G.: *see* Ramakrishnan K. M.
Mathivanan T.: *see* Ramakrishnan K. M.
May S. R., Wainwright J. F. and DeClement F. A.: Variables determining the amount of microbial contamination on cadaveric allograft skin used as a biological wound dressing, 242
McLean N. R. and Clarke J. A.: Resurfacing of the severely burned hand with a radial forearm flap, 371
Meissl G.: *see* Karner J.
Metz P.: *see* Alsbjorn B. F.
Microbial contamination, amount of, variables determining the, on cadaveric allograft skin used as a biological wound dressing, 242
Mileritzki M.: *see* Baruchin A. M.
Miller G.: *see* Zapata-Sirvent R. L.
Miyoshi K.: *see* Nakamura K.
Momma S.: *see* Sawada Y.

Nailfold retraction due to burn wound contracture. A surgical procedure, 166
Nakamura K., Namba K., Fujii T., Sakamoto M. and Miyoshi K.: Survival of an extensively burned infant following purulent pericarditis, 202
Namba K.: *see* Nakamura K.
Neale H. W.: *see* Stern P. J.
Necrosis, upper extremity, early vascular grafting to prevent, after electrical burns, 359
Neurofibromatosis, marked, burn wound complicated by, 434
Neutrophil granulocyte functions in severely burned patients, 309
Ngao L.: *see* Wang D. W.
Nishida S.: *see* Sawada Y.
Nishigaki I.: *see* Hiramatsu M.
Noordhoff M. S.: *see* Yang J. Y.
Nosocomial infections, WHO and the global problem of, 48
Nuttin B.: *see* Boeckx W.
Nylen B.: *see* Kjartansson J.

O'Neill T. J.: *see* Smith R. W.
Oedema, post-burn, the effect of different cooling temperatures and immersion fluids on, and survival of the partially scalded hairy mouse ear, 161
Ohura T.: *see* Ono I.
Omentum, autogenous, use of, for grafting electrical injury affecting the scalp and skull, 289
Ono I., Ohura T., Azami K., Hoshi M. and Hasegawa T.: Anticoagulation therapy for renal insufficiency after burns, 104
Ono I., Ohura T., Azami K., Hoshi M. and Hasegawa T.: The effect of a prostaglandin I_2 analogue (OP-41483) on renal function in burned rabbits, 320

P. aeruginosa, systemic treatment of septicaemia caused by, with special reference to Azlocillin, 65
Passive haemagglutination test (PHT) and enzyme-linked immunosorbent assay (ELISA) for the detection of pseudomonas-antibodies in burned patients, 252
Patil A. R. and Keswani M. H.: Bandages of boiled potato peels, 444
Patil A. R.: *see* Keswani M. H.
Pegg S. P., Cavaye D., Fowler D. and Jones M.: Results of early excision and grafting in hand burns, 99
Pegg S. P., Siu S. and Gillett G.: Intra-arterial infusions in the treatment of hydrofluoric acid burns, 440
Pegg S. P. and Campbell D. C.: Children's burns due to cresol, 294
Pericarditis, purulent, survival of an extensively burned infant following, 202
Peritoneal dialysis, continuous, advantages of: acute renal failure in a burn patient, 367
Peterson V. M.: *see* Rundus C.
Phagocytic activity of polymorphonuclear leucocytes in burns, 185
Polymorphonuclear leucocytes in burns, phagocytic activity of, 185
Pomeranz A., Reichenberg Y., Schurr D. and Drukker A.: Acute renal failure in a burn patient: the advantages of continuous peritoneal dialysis, 367
Potato peel, boiled, as a burn wound dressing: a preliminary report, 220
Potato peels, boiled, bandages of, 444
Prostaglandin I_2 analogue (OP-41483), effect of, on renal function in burned rabbits, 320
Pruitt Jr B. A.: The diagnosis and treatment of infection in the burn patient, 79
Pseudo-aneurysm, infected, of the femoral artery caused by a monitoring catheter, 213

Pseudomonas infections, special reference to, causes, diagnosis and management of serious infections in burn patients with, WHO/ISBI Workshop, 41–71

Quaba A. A.: *see* Elliot D.

Radial forearm flap, resurfacing of the severely burned hand with, 371
Radial forearm island flap in early reconstruction of a severely burned hand, 285
Ramachandran K.: *see* Ramakrishnan K. M.
Ramakrishnan K. M., Rao D. K., Doss C. R., Mathivanan T., Manokaran G., Ramachandran K., Jayaraman V., Venkatachalapathy R. and Thyagarajan S. P.: Incidence of burn wound sepsis in 600 burned patients treated in a developing country, 404
Rao D. K.: *see* Ramakrishnan K. M.
Recent References, 75, 150, 228, 303, 383, 449
Reconstruction, early, radial forearm island flap in, of a severely burned hand, 285
Reconstructive surgery of the burned hand, retrospective study of, 351
Rees L. H.: *see* Elliot D.
Rehabilitation setting, multidisciplinary, team approach with severely burned children in, 281
Reichenberg Y.: *see* Pomeranz A.
Reichl M. and Kay S.: Electrical injuries due to railway high tension cables, 423
Reller B. R.: *see* Hansbrough J. F.
Renal failure, acute, in a burn patient: the advantages of continuous peritoneal dialysis, 367
Renal failure, acute, survival from, after severe burns, 143
Renal function in burned rabbits, the effect of a prostaglandin I_2 analogue (OP-41483) on, 320
Renal insufficiency after burns, anticoagulation therapy for, 104
van Renterghem L.: *see* Shakespeare P. G.
Resurfacing of the severely burned hand with a radial forearm flap, 371
Roberts B. B.: *see* Wang X. W.
Roberts F. J.: *see* Inman R. J.
Robinson A. C.: Serious burns sustained from wearing saris, 138
Robinson W. A.: *see* Rundus C.
Robinson W. A.: *see* Wang X. W.
Roe E. A. and Jones R. J.: Enzyme-linked immunosorbent assay (ELISA) and a passive haemagglutination test (PHT) for the detection of pseudomonas antibodies in burned patients, 252
Roth E.: *see* Karner J.
Rudensky B.: *see* Golan J.
Rundus C., Peterson V. M., Zapata-Sirvent R., Hansbrough J. and Robinson W. A.: Vitamin E improves cell-mediated immunity in the burned mouse: a preliminary study, 11

Sagi A., Baruchin A. M., Ben-Yakar Y., Kon M., Eyal A. and Mahler D.: Burns caused by bromine and some of its compounds, 343
Sakamoto M.: *see* Nakamura K.
Sang H. H.: *see* Wang X. W.
Saris, wearing, serious burns sustained from, 138
Sawada Y.: Survival of an extensively burned child following use of fragments of autograft skin overlain with meshed allograft skin, 429
Sawada Y., Momma S., Takamizawa A. and Nishida S.: Survival from acute renal failure after severe burns, 143
Saxby P. J. and Shakespeare P. G.: Burn injuries from portable butane camping stoves, 427
Scapa E. and Eschar J.: Chemical burns of the upper gastrointestinal tract, 269
Scars, hypertrophic, some observations on the surface structure of collagen in, 175
Schoorl R.: *see* Groenevelt F.
Schurr D.: *see* Pomeranz A.
Self-inflected burns: a 5-year retrospective study, 157
Sepsis, burn wound, incidence of, in 600 burned patients treated in a developing country, 404
Septicaemic shock, endorphins in, role of: a pilot study in burned patients, 387
Septicaemia, systemic treatment of, caused by *P. aeruginosa* with special reference to Azlocillin, 65
Shah A.: Exposure-Eusol treatment for burn wounds, 297
Shah P. M.: Systemic treatment of septicaemia caused by *P. aeruginosa* with special reference to Azlocillin, 65
Shakespeare P. G. and van Renterghem L.: Some observations on the surface structure of collagen in hypertrophic scars, 175
Shakespeare P. G.: *see* Saxby P. J.
Shaw K.: *see* Inman R. J.
Shen Z. Y.: *see* Sun Y. J.
Shi J. Q.: *see* Chen Y. S.
Silvazine, silver sulfadiazine 1 per cent plus chlorhexidine digluconate 0·2 per cent, prospective comparison of, and silver sulfadiazine 1 per cent (Flamazine) as prophylaxis against burn wound infection, 35
Silver sulfadiazine 1 per cent, prospective comparison of, plus chlorhexidine digluconate 0·2 per cent (Silvazine) and silver sulfadiazine 1 per cent (Flamazine) as prophylaxis against burn wound infection, 35
Silver sulphadiazine and cerium nitrate, mixture of, topical treatment of serious infections with special reference to the use of: two clinical studies, 59
Silver sulphadiazine in extensive burns, tissue deposition of silver following topical use of, 197
Silver, tissue deposition of, following topical use of silver sulphadiazine in extensive burns, 197
Siu S.: *see* Pegg S. P.
Skin substitute, new temporary synthetic, 274
Smith R. W. and O'Neill T. J.: An analysis into childhood burns, 117
Snelling C. F. T.: *see* Inman R. J.
Social work, medical, in the burns unit, 436
Song H. H.: *see* Wang X. W.
Sorensen B.: *see* Alsbjorn B. F.
Sterenberg N.: *see* Golan J.

Stern L. M. and Davey R. B.: A team approach with severely burned children in a multidisciplinary rehabilitation setting, 281
Stern P. J. Neale H. W., Carter W. and MacMillan B. G.: Classification and management of burned thumb contractures in children, 168
Stoves, butane camping, portable, burn injuries from, 427
Sun Y. H., Tsao D. S., Ma R. L., Wang X. W., Wang S. H., In D. Q. and Davies J. W. L.: Use of autogenous omentum for grafting electrical injury affecting the scalp and skull, 289
Sun Y. H., Wang X. W., Zhang Z. M., Wang C. Y., Cao Tsao D. X., Zhang M. L., Shen Z. Y. and Chan Z. D.: The tangential excision of extensive or deep burns, 31
Sun Y. H.: *see* Wang X. W.
Sun Y. H.: *see* Zapata-Sirvent R. L.
Swedenborg J.: *see* Kjartansson J.

Takamizawa A.: *see* Sawada Y.
Tangential excision of extensive or deep burns, 31
Team approach with severely burned children in a multidisciplinary rehabilitation setting, 281
Temporary synthetic skin substitute, new, 274
Tewksbury C. G.: *see* Byrom R. R.
'Therapeutic' burns (Maqua), 140
Thermal-crush injuries of the hands and forearms: an analysis of 60 cases, 264
Thumb contractures, burned, classification and management of, in children, 168
Thyagarajan S. P.: *see* Ramakrishnan K. M.
Tissue deposition of silver following topical use of silver sulphadiazine in extensive burns, 197
Tomlin S. J.: *see* Elliot D.
Toxic shock syndrome in burned children, 234
Treatment, anti-infective, trends in, of burn patients: a 3-year retrospective review, 54
Tsai Y. C.: *see* Yang J. Y.
Tsao D. S.: *see* Sun Y. H.
Tuchman Y.: *see* Golan J.
Tulle-gras dressings, 26

Ultrastructural and histopathological changes in liver tissue from burned patients, 408

Venkatachalapathy R.: *see* Ramakrishnan K. M.
Visceral injury, electrical burn with, 207
Vitamin E improves cell-mediated immunity in the burned mouse: a preliminary study, 11

WHO and the global problem of nosocomial infections, 48
WHO/ISBI Workshop, causes, diagnosis and management of serious infections in burn patients with special reference to pseudomonas infections, 41–71
Wainwright J. F.: *see* May S. R.
Walzer L.: *see* Karner J.
Wang C. Y.: *see* Sun Y. J.
Wang D. W., Ngao L., Xiao G. X. and Zhan Y. P.: Anaerobic infections of burns, 192
Wang N. Z.: *see* Wang X. W.
Wang S. H.: *see* Sun Y. H.
Wang X. W., Davies J. W. L., Zapata-Sirvent R. L. and Robinson W. A.: Chromic acid burns and acute chromium poisoning, 181
Wang X. W., Sang H. H., Davies J. W. L., MacMillan B. G. and Robinson W. A.: Role of escharotomy and fasciotomy as a first aid measure in the early treatment of an electrically burned arm and wrist, 419
Wang X. W., Sun Y. H., Zhang G. Z. and Zhang Z. M.: Tangential excision of eschar for deep burns of the hand: analysis of 156 patients collected over 10 years, 92
Wang X. W., Wang N. Z., Zhang O. Z., Zapata-Sirvent R. L. and Davies J. W. L.: Tissue deposition of silver following topical use of silver sulphadiazine in extensive burns, 197
Wang X. W., Zhang X. Z., Song H. H., Zhang G. S., Davies J. W. L., Zapata-Sirvent R. L. and Robinson W. A.: Thermal-crush injuries of the hands and forearms: an analysis of 60 cases, 264
Wang X. W.: *see* Sun Y. H.
Wang X. W.: *see* Zapata-Sirvent R. L.
Wang X. W., Roberts B. B., Zapata-Sirvent R. L., Robinson W. A., Waymack J. P., Law E. J., MacMillan B. G. and Davies J. W. L.: Early vascular grafting to prevent upper extremity necrosis after electrical burns, 359
Waymack J. P.: *see* Wang X. W.
Wilmshurst A. D.: *see* Frame J. D.
Word E. L.: *see* Byrom R. R.
Wound dressing, biological, cadaveric allograft skin used as, variables determining the amount of microbial contamination on, 242
Wound flora in burned children, epidemiological profile and trend analysis of: 7 years' experience, 16
Wound, burn, complicated by marked neurofibromatosis, 434

Xiao G. X.: *see* Wang D. W.

Yagi K.: *see* Hiramatsu M.
Yang C. C.: *see* Lin S. D.
Yang J. Y., Tsai Y. C. and Noordhoff M. S.: Electrical burn with visceral injury, 207

Zapata-Sirvent R. L.: *see* Hansbrough J. F.
Zapata-Sirvent R. L.: *see* Rundus C.
Zapata-Sirvent R. L.: *see* Wang X. W.
Zapata-Sirvent, R. L., Wang X. W., Miller G., Davies J. W. L., Sun Y. H., Zhang M. L., Cao D. X. and Ma R. L.: Candida infection in severe burns, 330
Zhan Y. P.: *see* Wang D. W.
Zhang G. S.: *see* Wang X. W.
Zhang M. L.: *see* Sun Y. J.
Zhang M. L.: *see* Zapata-Sirvent R. L.
Zhang O. Z.: *see* Wang X. W.
Zhang X. Z.: *see* Wang X. W.
Zhang Z. M.: *see* Sun Y. J.
Zhang Z. M.: *see* Wang X. W.